

Contents

Using static keyword	1
Static Classes – Warm-Up	1
Static Calculator	1
Static Members in a Non-static Class	2

Using static keyword

This lab serves multiple goals:

- To teach you how a static class differs from a non-static one,
- To illustrate the usefulness of static classes,
- To teach you how a non-static class can manipulate static fields.

Static Classes – Warm-Up

One use case for static classes is creating utility classes (or “helper classes”) that contain related and frequently-used methods. Using a static class makes those methods easily callable anywhere in the program. Some examples of static classes in C# are the `Math` and `Console` classes.

Pay attention to how these classes are used:

- A `Console` object is never instantiated before use.
- The `WriteLine` method is called referring to the *name of the class* (not an object identifier):

```
Console.WriteLine("calling a static method");
```

? Question

Using your IDE, check what happens if you do the following:

```
Console test = new Console();
```

Solution:

Indeed, it is *not possible* to instantiate an object when a class is declared **static**. Furthermore, if a class is declared static, all its members (e.g., attributes, methods, constructors, etc.) must also be declared **static**.

Static Calculator

In your IDE create a new project. Then add a new class file called `Calculator.cs`

In Calculator.cs:

1. Declare a **static** class and name it `Calculator`.
2. Add 5 **public** methods to the `Calculator` class. Each method takes 2 arguments `x` and `y` of type **double**:
 - (a) **Add** method that returns the result of $x + y$.
 - (b) **Subtract** method that returns the result of $x - y$.
 - (c) **Multiply** method that returns the result of $x * y$.
 - (d) **Divide** method that returns the result of x / y .
 - (e) **Modulo** method that returns the result of $x \% y$.

After implementing `Calculator`,

1. Open the file that contains the program's `Main` method
2. Paste the following code inside the `Main` method:

```
double x = 10d, y = 2d;

Console.WriteLine($"{x} + {y} = {Calculator.Add(x,
↵ y)}");
Console.WriteLine($"{x} - {y} =
↵ {Calculator.Subtract(x, y)}");
Console.WriteLine($"{x} * {y} =
↵ {Calculator.Multiply(x, y)}");
Console.WriteLine($"{x} / {y} = {Calculator.Divide(x,
↵ y)}");
Console.WriteLine($"{x} % {y} = {Calculator.Modulo(x,
↵ y)}");
```

Again, notice how

- no instance of `Calculator` is created before use, and
 - each `Calculator` method is called referring to the *name of the class*.
3. Execute the program
 - If your implementation of the `Calculator` class matches the instructions, you will see meaningful output after executing the program.
 - Otherwise, review the instructions again and retrace your implementation steps to resolve any issues.

Static Members in a Non-static Class

A non-static class can contain both static and non-static class members. Download, extract, and study this project¹ implementation, but *do not*

¹<https://princomp.github.io/code/projects/Student.zip>

execute it. After reading through the implementation, answer the questions below.

1. How many non-static attributes does the `Student` class have?
2. How many static attributes does the `Student` class have?
3. How many non-static methods does the `Student` class have?
4. How many static methods does the `Student` class have?
5. What is the output of each of the following lines in "Program.cs":
 - (a) `Console.WriteLine(alice);`
 - (b) `Student.DisplayStudentCount(); // first time`
 - (c) `Console.WriteLine(bob);`
 - (d) `Student.DisplayStudentCount(); // second time`
6. If the `studentCount` attribute was *not* **static**, what would be the output of:
 - (a) `Student.DisplayStudentCount(); // first time`
 - (b) `Student.DisplayStudentCount(); // second time`
7. When a class contains both static and non-static members, is it possible to refer to non-static members inside a static method? For example, if we try to refer to the `name` attribute inside `DisplayStudentCount`, will it work? Why or why not?

Check your answers by creating a matching program in your IDE and executing it.

To check the last question, in `Student.cs`, uncomment the following line and verify its behavior matches your answer:

```
// Console.WriteLine(name);
```