

## Contents

<b>Break and continue</b>	<b>1</b>
Conditional iteration . . . . .	1
Skipping iterations with <code>continue</code> . . . . .	1
Loops with multiple end conditions . . . . .	2
Ending the loop with <code>break</code> . . . . .	3

## Break and continue

### Conditional iteration

- Sometimes, you want to write a loop that will skip some iterations if a certain condition is met
- For example, you may be writing a **for** loop that iterates through an array of numbers, but you only want to use *even* numbers from the array
- One way to accomplish this is to nest an **if** statement inside the **for** loop that checks for the desired condition. For example:

```
int sum = 0;
for(int i = 0; i < myArray.Length; i++)
{
    if(myArray[i] % 2 == 0)
    {
        Console.WriteLine(myArray[i]);
        sum += myArray[i];
    }
}
```

Since the entire body of the **for** loop is contained within an **if** statement, the iterations where `myArray[i]` is odd will skip the body and do nothing.

### Skipping iterations with `continue`

- The **continue** keyword provides another way to conditionally skip an iteration of a loop
- When the computer encounters a **continue**; statement, it immediately returns to the beginning of the current loop, skipping the rest of the loop body
- Then it executes the update statement (if the loop is a **for** loop) and checks the loop condition again

- A **continue**; statement inside an **if** statement will end the current iteration only if that condition is true
- For example, this code will skip the odd numbers in `myArray` and use only the even numbers:

```
int sum = 0;
for(int i = 0; i < myArray.Length; i++)
{
    if(myArray[i] % 2 != 0)
        continue;
    Console.WriteLine(myArray[i]);
    sum += myArray[i];
}
```

If `myArray[i]` is odd, the computer will execute the **continue** statement and immediately start the next iteration of the loop. This means that the rest of the loop body (the other two statements) only gets executed if `myArray[i]` is even.

- Using a **continue** statement instead of putting the entire body within an **if** statement can reduce the amount of indentation in your code, and it can sometimes make your code's logic clearer.

## Loops with multiple end conditions

- More advanced loops may have multiple conditions that affect whether the loop should continue
- Attempting to combine all of these conditions in the loop condition (i.e. the expression after **while**) can make the loop more complicated
- For example, consider a loop that processes user input, which should end either when a sentinel value is encountered or when the input is invalid. This loop ends if the user enters a negative number (the sentinel value) or a non-numeric string:

```
int sum = 0, userNum = 0;
bool success = true;
while(success && userNum >= 0)
{
    sum += userNum;
    Console.WriteLine("Enter a positive number to add it.
↵ "
    + "Enter anything else to stop.");
    success = int.TryParse(Console.ReadLine(), out
↵ userNum);
```

```
}  
Console.WriteLine($"The sum of your numbers is {sum}");
```

- The condition `success && userNum >= 0` is true if the user entered a valid number that was not negative
- In order to write this condition, we needed to declare the extra variable `success` to keep track of the result of `int.TryParse`
- We cannot use the condition `userNum > 0`, hoping to take advantage of the fact that if `TryParse` fails it assigns its `out` parameter the value 0, because 0 is a valid input the user could give

## Ending the loop with break

- The `break` keyword provides another way to write an additional end condition
- When the computer encounters a `break;` statement, it immediately ends the loop and proceeds to the next statement after the loop body
- This is the same `break` keyword we used in `switch` statements
- In both cases it has the same meaning: stop execution here and skip to the end of this code block (the ending `}` for the `switch` or the loop)
- Using a `break` statement inside an `if-else` statement, we can rewrite the previous `while` loop so that the variable `success` is not needed:

```
int sum = 0, userNum = 0;  
while(userNum >= 0)  
{  
    sum += userNum;  
    Console.WriteLine("Enter a positive number to add it.  
↵    + "Enter anything else to stop.");  
    if(!int.TryParse(Console.ReadLine(), out userNum))  
        break;  
}  
Console.WriteLine($"The sum of your numbers is {sum}");
```

- Inside the body of the loop, the return value of `TryParse` can be used directly in an `if` statement instead of assigning it to the `success` variable
- If `TryParse` fails, the `break` statement will end the loop, so there is no need to add `success` to the `while` condition

- We can also use the **break** statement with a **for** loop, if there are some cases where the loop should end before the counter reaches its last value
- For example, imagine that our program is given an **int** array that a user *partially* filled with numbers, and we need to find their product. The “unused” entries at the end of the array are all 0 (the default value of **int**), so the **for** loop needs to stop before the end of the array if it encounters a 0. A **break** statement can accomplish this:

```
int product = 1;
for(int i = 0; i < myArray.Length; i++)
{
    if(myArray[i] == 0)
        break;
    product *= myArray[i];
}
```

- If `myArray[i]` is 0, the loop stops before it can multiply the product by 0
- If all of the array entries are nonzero, though, the loop continues until `i` is equal to `myArray.Length`
- Note that in this example, we access each array element once and do not modify them, so we could also write it with a **foreach** loop:

```
int product = 1;
foreach(int number in myArray)
{
    if(number == 0)
        break;
    product *= number;
}
```